



कार्यालय नगर पालिक निगम, कोरबा (छत्तीसगढ़)

फा.क./321 /दर्सी जून/2019-20/

कोरबा दिनांक 13.11.2019

निविदा आमंत्रण सूचना

नगर पालिक निगम कोरबा द्वारा शासकीय,अर्द्धशासकीय विभागों में कार्यरत व्यवसाय से संबंधित अधिकृत विक्रेता/फर्मों /प्रदायकर्ताओं से शेड्युल अनुसार आयटम दरों पर निविदाएं आमंत्रित की जाती है :-

- 01 निर्धारित प्रारूप में निविदा प्रपत्र प्राप्त होने अंतिम तिथि - 17.12.2019 सायंकाल 3:00 बजे तक
- 02 निविदा खुलने की अंतिम तिथि - 17.12.2019 सायंकाल 4:00 बजे तक

क.	कार्य का नाम	प्राक्कलन राशि	धरोहर राशि	निविदा प्रपत्र का मूल्य	निविदा प्रपत्र	कार्यावधि	ठेकेदार का वर्ग	निविदा खुलने की तिथि
1	वार्ड क्र.47 अंतर्गत जमनीपाली बस्ती में जिम सामग्री प्रदाय एवं स्थापना का कार्य (ग्राम सभा भवन जमनीपाली) (पार्षद मद 2019-20)	7,00,000/-	7,000/-	750/-	Form-B	02 माह	सक्षम श्रेणी	17-12-19

निविदा की शर्तें :-

- निविदाकार द्वारा आपूर्ति किये जाने वाले सामग्री के निर्माता / कंपनी / फर्म द्वारा अधिकृत विक्रेता/डीलरशीप प्रमाण पत्र प्रस्तुत करना होगा।
- निविदाकार द्वारा जिस निर्माता कंपनी के आयटम प्रदान करने हेतु दर प्रस्तुत की जा रही है,उन्हे उस कंपनी का आई.एस.ओ.सर्टिफिकेट संलग्न करना अनिवार्य होगा अन्यथा निविदाकार इस निविदा के लिए अपात्र होगा।
- निविदाकार आपूर्ति किये जाने वाले प्रत्येक जिम सामग्रीयों की कंपनी का आयटम कैटलॉग जिसमें उस सामग्री की समस्त तकनीकी जानकारी स्पष्ट रूप से विनिर्दिष्ट हो प्रस्तुत किया जाना अनिवार्य होगा।
- निविदाकार को आपूर्ति किये जाने वाले सामग्री से संबंधित यथा निविदा आमंत्रण पत्र के कंडिका क्रमांक क्रमशः 2,3,4 एवं 5 में उल्लेख अनुसार सामानता होना अनिवार्य है, अर्थात् आपूर्ति किये जाने वाले सामग्री के निर्माणकर्ता/कंपनी /फर्म द्वारा जारी अधिकृत विक्रेता / डीलरशीप प्रमाण पत्र,आयटम कैटलॉग एवं आई.एस.ओ. एक ही कंपनी का होना अनिवार्य है।
- निविदाकार के पास अधिकृत विक्रेता/डीलरशीप फर्म कंपनी में उत्पादों का पूर्व में किसी शासकीय संस्था में प्रदाय किये जाने संबंधि कार्यादेश प्रमाण पत्र एवं अनुभव प्रमाण पत्र प्रस्तुत करना होगा,साथ ही यह भी सुनिश्चित करना होगा कि उपरोक्त प्रमाण पत्र कार्यपालन अभियंता अथवा प्रवर श्रेणी के अधिकारी द्वारा जारी किया गया हो प्रस्तुत करना अनिवार्य होगा।
- निविदा के दस्तावेज हाथो - हाथ न लिया जाकर रजिस्टर्ड पोस्ट अथवा स्पीड पोस्ट से प्राप्त किया जावेगा। अन्य माध्यमो यथा कोरियर, सर्विस,साधारण डाक इत्यादि से प्राप्त अथवा समयावधि के पश्चात प्राप्त निविदाओं पर विचार नहीं किया जावेगा। निविदा प्रपत्र आयुक्त नगर पालिक निगम ,साकेत भवन, आई.टी.आई.चौक,रामपुर कोरबा, जिला - कोरबा (छ.ग.) पिन नं.-495677 के पते पर भेजना होगा। निर्धारित तिथि को सायं 3:00 के पश्चात् प्राप्त निविदाएं स्वीकार नहीं किए जावेंगे।
- निविदा प्रपत्र नगर पालिक निगम,कोरबा के वेबसाईट WWW.korbamunicipal.in/uad.cg.gov.in डाउनलोड किया जाकर नवीन निविदा प्रपत्र Form- A/B/ABC (जारी दिनांक समस्त संशोधनों के साथ) निर्धारित शुल्क की डीडी के साथ संबंधित कार्य का नाम पूर्ण विवरण सहित भरकर भेजना होगा।
- निविदा प्रपत्र त्रि- लिफाफा पद्धति से मान्य किया जावेगा जो निम्नानुसार होगा :-
(अ) प्रथम लिफाफा में ठेकेदार का आयकर चुकता प्रमाण पत्र,निविदा सूचना आमंत्रण पत्र की कंडिका क्र.1,2,3,एवं 5 साथ ही निविदा सूचना आमंत्रण में उल्लेखित अन्य दस्तावेज के साथ निर्धारित प्रपत्र शुल्क का डीडी एवं अमानत राशि का टी.डी.आर./एफ.डी.आर.जो कि आयुक्त नगर पालिक निगम,कोरबा के नाम पर देय होगा प्रस्तुत करना होगा।
(ब) द्वितीय लिफाफा में ठेकेदार द्वारा भरा निविदा प्रपत्र होगा।
(स) तृतीय लिफाफे में उपरोक्त दोनों लिफाफे होंगे तथा आवश्यकता पड़ने पर मूल अभिलेख प्रस्तुत करना होगा।
- जिन ठेकेदारों द्वारा नगर पालिक निगम,(साड़ा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साड़ा) के हित के विरुद्ध कार्य किया गया हो उनहे निविदा भरने की प्रात्रता नहीं होगी।
- निविदा प्रपत्र प्राप्त करने हेतु इच्छुक ठेकेदारों को आवेदन पत्र के साथ पूर्व में इस प्रकार के किये गये कार्यों की प्रमाणित सूची ,पिछले 03 वित्तीय वर्ष का आय चुकता प्रमाण पत्र, पेन नम्बर, जी.एस.टी. पंजीयन साथ ही विस्तृत निविदा आमंत्रण सूचना (एन.आई.टी.) हस्ताक्षर युक्त एवं निर्धारित प्रारूप में निविदा आमंत्रण सूचना के कंडिका क्र.04 के लिफाफा (अ) में प्रस्तुत करना अनिवार्य होगा।
- कार्य हेतु लिफाफा (स) पर कार्य का नाम निविदा आमंत्रण सूचना क्रमांक,निविदा खुलने की तिथि स्पष्ट रूप से लिखकर भेजना होगा।
- निविदाकार का यह दायित्व है कि वे निविदा भरने के पूर्व स्थल का स्वयं निरीक्षण कर लेवें ताकि कार्य प्रारंभ करने में किसी प्रकार की कठिनाई न हो।
- निर्धारित निविदा प्रपत्र में उल्लेखित कंडिकाएँ स्वमेव लागू मानी जावेगी एवं निविदा आमंत्रण सूचना निविदा का ही भाग माना जावेगा।
- निर्धारित प्रारूप में निविदा प्रपत्र,निविदा प्रपत्र शुल्क ,अमानत राशि , निविदा आमंत्रण सूचना पत्र में उल्लेखित दस्तावेज सही पाये जाने पर ही निविदा दर संबंधित लिफाफा खोला जावेगा,अन्यथा निविदा निरस्त कर दी जावेगी।
- ठेकेदार को अपनी दरे शब्दों एवं अंको में स्पष्ट लिखना अनिवार्य होगा।
- शासन के विभिन्न विभागों जैसे :- खनिज विभाग,श्रम विभाग,समाज कल्याण विभाग,इत्यादि विभागों द्वारा समय-समय पर जारी निर्देशों /आदेशों के पालन की समस्त जिम्मेदारी संबंधित ठेकेदार की होगी।

केंदार यदि कार्य को अपूर्ण स्थिति में छोड़ता है तो निविदा प्रपत्र में उल्लेख अनुसार इस संबंध में प्रावधान के अंतर्गत कार्यवाही की जावेगी। कार्य प्रारंभ नहीं करने अथवा अपूर्ण स्थिति में छोड़ने पर निगम द्वारा ठेकेदार के विरुद्ध तत् समय में एम.आई. सी.द्वारा स्वीकृत प्रस्ताव के अधीन कार्यवाही की जावेगी जिसकी संपूर्ण जवाबदारी ठेकेदार की होगी।

19. सफल निविदा दाता से अनुबंध के समय अतिरिक्त परफार्मेंस राशि जमा कराई जावेगी जबकि निविदा की दरों में काफी कमी हो जैसे निविदादाता को निविदा दर एवं अनुमानित लागत से 10 प्रतिशत से अधिक निविदा दर होने पर सफल निविदादाता को निविदा दर एवं अनुमानित लागत के 90 प्रतिशत अंतर की राशि के समतुल्य परफार्मेंस गारंटी के रूप में राष्ट्रीयकृत बैंक का एफ.डी.आर./टी.डी.आर.आफिस टाईम डिपॉजिट अथवा एन.एस.सी.जो कि आयुक्त, नगर पालिक निगम, कोरबा के नाम से देय होगा, जो मांग तिथि से 15 दिवस के भीतर जमा करना अनिवार्य होगा। उपरोक्त राशि को जमा न करने की दशा में निविदा निरस्त कर दी जावेगी।
20. सम्पूर्ण किये गये कार्यों के लिये 5 प्रतिशत सुरक्षा राशि रनिंग देयको के साथ 01 वर्ष एवं 5 प्रतिशत पृथक से 03 वर्ष की गारंटी के लिए परफार्मेंस सिक्कुरिटी के रूप में रोकी जावेगी।
21. निविदाकार को प्रत्येक निविदा में पंजीयन क्षमता के अंतर्गत वर्तमान में नगर निगम या अन्य विभागों में किये जा रहे कार्यों का विवरण राशि सहित मूल प्रति में वैध शपथ पत्र कंडिया क्र.- 04 के प्रथम लिफाफा (अ) में प्रस्तुत करना अनिवार्य होगा।
22. निविदा प्रपत्र अहस्तातरणीय होगा एवं सशर्त निविदाओं पर विचार नहीं किया जावेगा।
23. निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में आयुक्त के द्वारा अधीनस्थ अधिकारियों का निर्णय अंतिम एवं सर्वमान्य होगा।
24. निविदा स्वीकृत करने अथवा अस्वीकृत करने का अधिकार नगर पालिक निगम, कोरबा के पास सुरक्षित रहेगा।
25. निविदा खुलने की तिथि में अवकाश होने पर अगामी तिथि को निविदा संबंधित कार्यवाही मानी जावेगी।

नोट :-

01. अमानत राशि के रूप में एफ.डी.आर./टी.डी.आर. अथवा नगद जमा रसीद पृथक से लिफाफे में स्वीकार किये जायेगे जो आयुक्त नगर पालिक निगम, कोरबा के नाम से देय हो।
02. उपरोक्त तिथियों में किसी भी तिथि को शासकीय/स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को निर्धारित तिथि समय एवं स्थान माना जावे।

(ठेकेदार के हस्ताक्षर)

नाम

पूर्ण पता

मोबाई न.-

कार्यपालन अभियंता
नगर पालिक निगम
कोरबा (छ.ग.)

OFFICE OF THE NAGAR PALIK NIGAM, KORBA

ABSTRACT

NAME OF WORK :- Supply And Installation of Open Zym Material At Jamnipali Bast W. No. 47
As Per S.O. :- NON SOR

(सर्वाङ्ग - नं० 2019-20)

S.No.	Item Description	Qty.	Rate	Amount
1	Multi Station Unit	1 Nos.	160000.00	160000.00
	<u>Specifications :-</u>			
	Dimensions : 125" (L) x 118" (W) x 80" (H)			
	Frame Structures : Combination of high tensile strength steel, continuous welded, factory assembled weight frame,			
	Name of tube : Square Tubing.			
	Tube Size : 50mm X 50mm			
	Tube Gauge : 2.50 mm			
	Weight Stack : 200 X 2 = 400 lbs and 150 X 2 = 300 lbs, Total weight stack is 700 lbs.			
	Weight Plate : Cast iron, machine drilled to exact space and employ oversized nylon bushings for super smooth operations Weight Guide Rods : 25 mm Chrome plated Solid steel, highly polished for smooth movements.			
	Weight Selector Pin : 10 mm steel pin.			
	Adjustments : Adjustable of seats, back rests and pads are meets all user requirements.			
	Pull Pins : most adjustment secured with commercial grade spring loaded pull pins.			
	Cable : 5.0 mm dia., 4200 lbs rated, commercial grade, nylon coated aircraft cables.			
	Pulley : Maintenance free, fiber glass reinforced nylon pulleys fitted with premium grade - A quality bearings with V grooved channel.			
	Pulley Sizes : 88 mm.			
	Grips : High density foam rubber hand grips.			
	Cushioning : 02" inch high density top grade resilient foam.			
	Finishing : Proprietary two coat powder process.			
	Rust Proof : All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.			
	Color : Grey.			
2	Multi Bench Commercial	1 Nos.		
	<u>Specifications :-</u>			
	Ship Weight : 304 lbs (138 Kg)			
	Weight : 74" (188 cm)			
	Length : 65" (165 cm)			
	Height : 60" (152 cm)			
3	Plan Bench Commercial	1 Nos.		
	<u>Specifications :-</u>			
	Ship Weight : 128 lbs (58 Kg)			
	Length : 55" (140 cm)			
	Height : 20" (51)			
4	Fitness Machine Commercial (Crazy)	1 Nos.		
	<u>Specifications :-</u>			

	Dimension : 28" (L) X 27" (W) X 58" (H)	
	Motor : 2.0 HP, DC Motor,	
	Motor Control : Microprocessor Control	
	Speed : 5 to 30 Hz.	
	Mode Selection : Auto, Low, Medium & High.	
	Set Option : 3,5, 8 And 10 minutes time can be set as per user requirement .	
	Display : Dot Matrix LED, 5 Window Display	
	Display Feedback : Time, Speed Calories and Distance.	
	Power Requirements : 220V AC.	
	Frame : Heavy - Gauge welded steel with textured proprietary two coat electro statically powder process finish to ensure maximum corrosion & Chip resistance.	
	Exercise Applications : Straight standing, horse riding, upper arm & body pose.	
	Max user Weight : 120 Kgs.	
5	Multi Functional Trade Mill	1 Nos.
	<u>Specifications :-</u>	
	Foldable manual with stepper & Twister	
	Long Handle bar with pulse	
	3 Levels adjustable incline.	
	Huge Size Monitor with 5 Window Display Consist of speed, distance, time, calories & pulse.	
	Running belt Size : 48" (L) X 16" (W)	
	Max User Weight : 100 Kgs.	
6	Magnetic Uprit + Bike	1 Nos.
	<u>Technical Specifications :-</u>	
	Dimension : 42" (L) X 24" (W) X 58" (H)	
	Maximum Watt : 300 Watts.	
	Resistance Level : 16 Levels.	
	Resistance System : Electro - Magnetic Resistance.	
	Power : 6 Volts DC adapter for self powered convenience.	
	Programs : 16 Programs - manual, poling, valley, fat burn, ramp, mountain, random, body fat, target HR, 60% HRC, 85% HRC and user setting 04 Nos.	
	Drive System : Centre design drive, super silent poly - V belt driven.	
	Fly Wheel : 9 Kgs precision balanced.	
	Pedals : Self balanced extra wide pedals with adjustable straps fit to any size user, close spacing, shock absorbing, air cushion and provides gentle movements	
	Seat : Ergonomically designed comfortable seat with flex cushion 11 levels seat adjustment	
	Handle Bars : U-Bar style with ergonomically elbow support pad and in-built contact heart rate sensor with hand grips.	
	Centre Of Gravity : Low COG combined with a balanced frame prevents rocking.	
	Cardio Monitor : In built hand grip pulse provided with handle grips enables to the cardio monitoring on board.	
	Display : LCD with blue back light and computerized console.	
	Display Feedback : Multi feedback read out instantly displays time, distance, RPM, calories, speed pulse, watt BMR and BMI.	

	Speaker : In-built speaker for ipod and Mp3 connectivity.	
	Weight : 120 Kgs	
	Transportation : Transportation Wheel for easy movement.	
	Accessory Holder : Book holder on the upper case of consol and mobile phone holder.	
	Rating : Commercial	
	Crank Assembly : 3 Pieces crank assembly	
	Frame Structure : Extra sturdy and stable steel frame construction / Arched support frame for maximum durability and stability.	
	Frame Finishing : Proprietary two coat powder process.	
	Rust Proof : All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.	
7	Roming Machine	1 Nos.
	Specifications :-	
	Dimension : 70" (L) X 21" (W) X 17" (H)	
	Resistance levels & type : 10 levels, magnetic resistance.	
	Power : 2 X 1.5 Volt AA size battery.	
	Display : LCD display.	
	Display Feedback : Scan, Time, CPM, Count, Calories & Sum.	
	Transportation : Wheel for easy transportation,	
	Seat Grip : Ergonomically designed seat and grip.	
	Fly Wheel : 5 Kgs Fly Wheel.	
	Folding System : Foldable.	
8	Twister Commercial	1 Nos.
	Specifications :-	
	Weight : 55" (140 cm)	
	Length : 72" (183 cm)	
	Height : 36" (92 cm)	
9	Rubber Plat Commercial	100 kg.
10	Rubber Dumbbells	100 kg.
11	Steel Rod (SS) 24mm	20 Fit
12	Motorized Trademill	1 Nos.
	Specifications :-	
	Dimension : 80" (L) X 36" (W) X 50" (H)	
	Motor : DC Motor, 3.0 HP continuous, 6.0 HP peak, digital concepts P.W.M. Control.	
	Speed : 1.0 to 16 Kmph.	
	Elevation : 0% to 15%, Automatic.	
	Quick Selection : Speed And Elevation.	
	Belt Size : 55" (L) X 20" (W)	
	Shock Absorption : 8-Point spring load back suspension/Anti shock.	
	Safety Key Stop : Magnetic Safety Key.	
	Display : LCD blue back light, single Window display.	
	Display Feedback : Heart rate, elevation, Time, Distance, Speed, Calories, Body fat and programs.	
	Programs : 24 Programs, 18 Preset, 5 User and 1 body fat.	
	Heart Rate Technology : Heart rate Control with hand grip pulse sensor.	
	Power Saving Mode : System shutdown display under 10 minutes if no instruction input, press any key to restore system.	
	Speaker : In-built speaker for ipod and Mp3 connectivity.	

	Smart folding system.	
	Transportation : 4 Wheel transportation system for easy movement.	
	Max User Weight : 135 Kgs.	
	Dumbbells Rack	1 Nos.
	Specifications :-	
	Ship Weight : 266 lbs (121 Kg)	
	Weight : 29" (74 cm)	
	Length : 205" (267 cm)	
	Height : 37" (94 cm)	
14	Gym Ball (95 CM) Heavy Duty	1 Nos.
15	Yoga Mate (6mm) Size - 4" X 6"	1 Nos.
16	AB Slimmer	1 Nos.
	Specifications :-	
	Ship Weight : 266 lbs (121 Kg)	
	Weight : 29" (74 cm)	
	Length : 205" (267 cm)	
	Height : 37" (94 cm)	
17	Electrical Cross Trainer (Commercial)	1 Nos.
	Technical Specifications :-	
	Dimension : 84" (L) X 30" (W) X 71" (H)	
	Strides : 20" Inches natural strides.	
	Maximum Watt : 250 Watts.	
	Resistance System : Electro - Magnetic resistance.	
	Power : Self generated power system.	
	Programs : 06 Progrmas - Manual, HRC, random, weight loss, CV and hill intervals.	
	Drive System : Centre design drive, super silent poly - V belt driven.	
	Pedals : self balancing, close spacing, enlarge, impact-absorbing, fit to any size user and provides gentle movements to reduce lower body stress.	
	Centre Of Gravity : Low COG combined with a balanced frame prevents rocking.	
	Cardio Monitor : In built metallic pulse sensor provided with T bar style handle grips enables to the cardio monitoring on board.	
	Display : Dot Matrix LED, scrolling text and computerized console.	
	Display Feedback : Multi feedback read out instantly displays time, distance, RPM, calories, heart rate, work (resistance) levels, watts, and mets.	
	User Weight : 140 kgs	
	Transportation : Transportation wheel for easy movement.	
	Accessory Holder : Water Bottle And Mobile Phone Holder.	
	Rating : Commercial	
	Step up Height : 12" easy step up height	
	Strides Wheel : Dual wheels track, fiber glass reinforced nylon wheel with high quality bearing.	
	Frame Structure : Arched support frame for maximum durability and stability.	
	Frame Finishing : Proprietary two coat powder process.	
	Rust Proof : All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.	
18	Spin Bike Commercial Fit Wheel	1 Nos.
	Technical Specifications :-	

Dimension : 53" (L) X 21" (W) X 44" (H).	
Wheel : 21 kgs, high inertia spin wheel.	
Resistance Level : Smart release breaking system provides safe dependable performance for unsupervised rider.	
Resistance System : Push brake system which make the bike safe and stable, two piece fender for comprehensive protection of brake and spin wheel.	
Drive system : Centre design drive and metal belt driven.	
Pedals : Self balanced wide pedals with adjustable straps fit to any size user, close spacing, shock absorbing air cushion and provides gentle movements.	
Seat : Pop-pin seat slider with 8 steps horizontal and 15 steps vertical adjustments deliver a great fit.	
Handle bars : chrome with PVC dipping, 9 level vertical and 8 level horizontal adjustments.	
Centre Of Gravity : Low COG combined with a balanced frame prevents rocking.	
User Weight : 150 Kgs.	
Transportation : Transportation wheel for easy movement.	
Crank Assembly : 3 Pieces crank assembly with increased strength provides dependable performance for every rider.	
Frame structure : Strengthened main frame makes it sturdy stable and elegant.	
Frame Finishing : Proprietary two coat powder process.	
Rust Proof : All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.	
Total	
(Rupees Six Lacs Ninety Thousand Nine Hundred Only.)	

Terms & Conditions :-

Following Details Must Be Mentioned/Confirmed In The Offer, Otherwise Offer Shall Liabile For Rejection Pl.

- 1) Sport Item - Zym Equipment.
- 2) Make - Aerofit, Star Trac, York
- 3) A Company Authorized Dealer For Any Of The Company Obligatory.
- 4) Confirm Installation/Commisioning/Demonstration At Our Site.
- 5) Relevant Catelog/leaflet to Be Enclosed With Offer.

Sub Engineer
Nagar Palik Nigam
Korba (C.G.)

Astt. Engineer
Nagar Palik Nigam
Korba (C.G.)

E.E. Engineer
Nagar Palik Nigam
Korba (C.G.)

E.E. Engineer
Nagar Palik Nigam
Korba (C.G.)