कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.) मुरूय कार्यालय - साकेत भवन, आई.टी.आई. चौक, कोरबा (छ.म.)

दर्री जोन

<u>फा.क. / 504, 525 एवं 527 / निर्माण(दर्री</u> जोन) / 2023 /

कार्य का नाम

कोरबा. दिनांक 20.03.2023

– 11.04.2023 सायंकाल 3:00 बजे तक

निविदा आमंत्रण की सूचना

लोक निर्माण विभाग से एकीकृत पंजीयन प्रणाली अंतर्गत सक्षम श्रेणी में पंजीकृत ठेकेदारों से निम्नलिखित कार्य हेतु प्रमुख अभियन्ता लोक निर्माण विभाग, रायपुर द्वारा प्रचलित PWD Building SOR 01.01.2015 & PWD Road SOR 01.01.2015 से प्रभावशील दर अनुसूची पर (निविदा खुलने के दिनांक तक समस्त संशोधनों के साथ) कम अधिक या समान दरों पर तथा शेड्युल अनुसार आयटम दरों पर निम्नलिखित निर्माण कार्य हेतु मैन्युअल निविदा वेबसाईट से डाउनलोड कर त्रि–लिफाफा पद्धति माध्यम से आमंत्रित की जाती है :-

1. निर्धारित प्रारूप में निविदा प्रपत्र प्राप्त होने अंतिम तिथि 2. निविदा खुलने की अंतिम तिथि

 – 11.04.2023 सायंकाल 4:30 बजे तक निविदा प्राक्कलन धरोहर निविदा निविदा कार्यावधि ठेकेदार राशि में राशि रू में खलने की प्रपत्र का का वर्ग प्रपत्र अंतिम तिथि मूल्य वार्ड क्र. 47 चोरभटठी में महेन्द्र

1	सिंह घर से जयराम सिंह कंवर घर तक सी.सी. रोड एवं कलवर्ट का निर्माण कार्य। (एल्डरमेन निधि 2022–23) (द्वितीय निविदा)	6,00,000/-	4,500 /-	750/-	Form-A	04 माह	सक्षम श्रेणी	11.04.2023
2	वार्ड क्र. 46 अंतर्गत बी.टी. रोड का मरम्मत एवं संधारण कार्य। (मरम्मत एवं संधारण मद)	3,51,000/-	4,000 /-	750/-	Form-A	03 माह	सक्षम श्रेणी	11.04.2023
3	वार्ड क्र. 45 अंतर्गत राम नगर स्याहीमुड़ी में (ईश्वरी पटेल से मीनकेतन साहू, कन्हैय्या श्रीवास से गोपाल साहू तथा आजू राम के घर से संतोष पटेल के घर तक) सी.सी. रोड का मरम्मत कार्य। (मरम्मत एवं संधारण मद)	3,94,500/-	4,000 /-	750/-	Form-A	03 माह	सक्षम श्रेणी	11.04.2023

निविदा की शर्तेः--

- 1. निविदा दरे प्रचलित सी.एस.आर.से कम या अधिक प्रतिशत् दरों पर दिया जावे सी.एस.आर.के अंतर्गत के आयटमों पर पथक से आयटम दरों का उल्लेख करने पर निविदा निरस्त मानी जावेगी।
- 2. निविदा के दस्तावेज हाथो–हाथ न लिया जाकर रजिस्टर्ड पोस्ट अथवा स्पीड पोस्ट से प्राप्त किया जावेगा। अन्य माध्यमों यथा कोरियर सर्विस, साधारण डाक इत्यादि से प्राप्त अथवा समयावधि के पश्चात प्राप्त निविदाओं पर विचार नहीं किया जावेगा। निविदा आयुक्त, नगर पालिक निगम, आई.टी.आई. चौक साकेत भवन, जिला–कोरबा (छ.ग.) पिन नं.–495677 के पते पर भेजना होगा। निर्धारित तिथि को सायं 3:00 के पश्चात् प्राप्त निविदाएँ स्वीकार नहीं किए जावेंगे।
- 3. निविदा प्रपन्न नगर पालिक निगम, कोरबा के वेबसाईट www.korbamunicipal.in/uad.cg.gov.in डाउनलोड किया जाकर नवीन निविदा प्रपत्र Form - A/B/ABC (जारी दिनॉक तक समस्त संशोधनों के साथ) निर्धारित शुल्क की डीडी के साथ संबंधित कार्य का नाम पूर्ण विवरण सहित भरकर भेजना होगा।
- 4. निविदा प्रपन्न त्रि-लिफाफा पद्धति से मान्य किया जावेगा जो निम्नानुसार होगाः-
 - प्रथम लिफाफा में ठेकेदार का जीवित पंजीयन प्रमाण पत्र, आयकर चुकता प्रमाण पत्र, निविदा सूचना आमंत्रण में (अ) उल्लेखित अन्य दस्तावेज के साथ निर्धारित प्रपत्र शुल्क का डीडी (निविदा आमंत्रण पत्र जारी दिनांक के पश्चात का मान्य) एवं अमानत राशि का टी.डी.आर. / एफ.डी.आर. जो कि आयुक्त, नगर पालिक निगम कोरबा के नाम पर देय होगा प्रस्तुत करना होगा।
 - द्वितीय लिफाफा में ठेकेदार द्वारा भरा हुआ निविदा प्रपत्र होगा। (ब)

त्तीय लिफाफा में उपरोक्त दोनो लिफाफाएँ होगी तथा आवश्यकता पड़ने पर मूल अभिलेख प्रस्तुत करना होगा। (स)

जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा 5. क्रमशः.....02

क्र.

नगर पालिक निगम (साडा) के हित के विरूद्ध कार्य किया गया हो उन्हे निविदा भरने की पात्रता नही होगी।

- निविदा हेतु इच्छुक ठेकेदारों को उचित वर्ग में पंजीयन की प्रमाणित प्रतिलिपि यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र 6. (पार्टनरशीप डीड) की सत्य प्रतिलिपि, उपलब्ध तकनीकी अमले की जानकरी पिछले वित्तीय वर्ष का आय चुकता प्रमाणपत्र, पेन नम्बर, जी.एस.टी. पंजीयन एवं प्रशिक्षित यंत्री नियुक्त करने संबंधी प्रमाण पत्र, कर्मचारी भविष्य निधि संगठन,कर्मचारी, राज्य बीमा निगम रायपुर से पंजीयन एवं विस्तृत निविदा आमंत्रण सूचना (एनआईटी) हस्ताक्षरयुक्त निर्धारित प्रारूप में निविदा आमंत्रण सूचना के कंडिका क्र. 04 के अनुरूप लिफाफा (अ) में प्रस्तुत करना अनिवार्य होगा।
- 7. कार्य हेतु लिफाफे पर कार्य का नाम निविदा आमंत्रण सूचना कमॉक, निविदा खुलने की तिथि स्पष्ट रूप से लिखकर भेजना होगा।
- निविदाकार का यह दायित्व है कि वे निविदा भरने के पूर्व स्थल का स्वयं निरीक्षण कर लेवें ताकि प्रारंभ करने में किसी 8. प्रकार की कठिनाई न हो।
- निर्धारित निविदा प्रपत्र में उल्लेखित कंडिकाएँ स्वमेव लागू मानी जावेगी एवं निविदा आमंत्रण सूचना निविदा का ही भाग 9. माना जावेगा।
- 10. निर्धारित प्रारूप में निविदा प्रपत्र, निविदा प्रपत्र शुल्क, अमानत राशि, निविदा आमंत्रण सूचना पत्र, में उल्लेखित दस्तावेज सही पाए जाने पर ही निविदा दर का लिफाफा खोला जावेगा अन्यथा निविदा निरस्त कर दी जावेगी।
- 11. ठेकेदार को अपनी दरें शब्दों एवं अंको में लिखना अनिवार्य होगा।
- 12. शासन के विभिन्न विभागों जैसे:- खजिन विभाग, श्रम विभाग, समाज कल्याण विभाग इत्यादि विभागों द्वारा समय-समय पर जारी निर्देशों / आदेशों के पालन की समस्त जिम्मेदारी संबंधित ठेकेदार की होगी।
- 13. ठेकेदार यदि कार्य को अपूर्ण स्थिति में छोड़ता है तो निविदा प्रपन्न में उल्लेख अनुसार इस संबंध में प्रावधान के अंतर्गत कार्यवाही की जावेगी।
- 14. कार्य प्रारंभ नहीं करने अथवा अपूर्ण स्थिति में छोड़ने पर निगम द्वारा ठेकेदार के विरूद्ध तत् समय में एम.आई. सी. द्वारा स्वीकृत प्रस्ताव के अधीन कार्यवाही की जावेगी जिसकी संपूर्ण जवाबदारी ठेकेदार की होगी।
- 15. सफल निविदा दाता से अनुबंध के समय अतिरिक्त परफार्मेंस राशि जमा कराई जावेगी जबकि निविदा की दरों में काफी कमी हो जैसे निविदादाता को निविदा दर एवं अनुमानित लागत से 10 प्रतिशत से अधिक निविदा दर होने पर सफल निविदादाता को निविदा दर एवं अनुमानित लागत के 90 प्रतिशत अंतर की राशि के समतुल्य परफार्मेंस गारंटी के रूप में राष्ट्रीयकृत बैंक का एफ.डी.आर. /टी.डी.आर. ऑफिस अथवा टाईम डिपॉजिट जो कि आयुक्त नगर पालिक निगम कोरबा के नाम से देय होगा, जो मांग तिथि से 15 दिवस के भीतर जमा करना अनिवार्य होगा। उपरोक्त राशि को जमा न करने की दशा में निविदा निरस्त कर दी जावेगी।
- 16. सम्पूर्ण किये गये कार्यों के लिये कंडिका क्र. 02 एवं 03 हेतु 5 प्रतिशत सुरक्षा राशि रनिंग देयकों के साथ 01 वर्ष हेतु साथ ही कंडिका क्र. 01 के लिए 5 प्रतिशत पृथक से 03 वर्ष की गारंटी के लिये परफारमेंस सिक्यूरिटी के रूप में रोकों जावेगी।
- 17. निविदा में भाग लेने वाले ठेकेदारों को छ.ग. भवन और अन्य सन्निर्माण कर्मकार (नियोजन एवं सेवा शर्तों का विनियमन) अधिनियम 1996 एवं तद्अंतर्गत निर्धारित नियमों के तहत् पंजीयन कराना आवश्यक होगा तथा निर्माण लागत का 1 प्रतिशत उपकर के रूप में प्रत्येक देयक से कटौती की जावेगी।
- 18. निविदाकार को प्रत्येक निविदा में पंजीयन क्षमता के अंतर्गत वर्तमान में नगर निगम या अन्य विभागों में किये जा रहे कार्यो का विवरण राशि सहित मूल प्रति में वैध शपथपत्र कंडिका क. 04 के प्रथम लिफाफा (अ) में प्रस्तुत करना अनिवार्य होगा।
- 19. ईट से संबंधित निर्माण कोर्यों में पलाई एश ब्रिक का उपयोग किया जाना अनिवार्य होगा।
- 20. निविदा प्रपत्र अहस्तांतरणीय होगा एवं सशर्त निविदाओं पर विचार नही किया जावेगा।
- 21. निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में आयुक्त के द्वारा अधीनस्थ अधिकारियों का निर्णय अंतिम एवं सर्वमान्य होगा।
- 22. निविदा प्रपत्र Form-A के क्लॉज नम्बर-11 अनुसार एस्केलेशन देय नहीं होगा।
- 23. निविदा स्वीकृत करने अथवा अस्वीकृत करने का अधिकार आयुक्त, नगर पालिक निगम के पास सुरक्षित रहेगा।

24. निविदा खुलने की तिथि में अवकाश होने पर आगामी तिथि (कार्य दिवस) को निविदा संबंधी कार्यवाही मानी जावेगी।

- नोटः-
 - 1. अमानत राशि के रूप में एफ.डी.आर. /टी.डी.आर. अथवा नगद जमा रसीद पृथक से लिफाफे में स्वीकार किए जावेंगे आयुक्त, नगर पालिक निगम, कोरबा के नाम पर देय हो।
 - 2. उपरोक्त तिथियों में किसी भी तिथि को शासकीय/स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को निर्धारित तिथि समय एवं स्थान माना जावे।

प्रतिलिपि :--

प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास विभाग, नया रायपुर (छ.ग.) को Uad.cg.gov.in में अपलोड

किये जाने हेतु प्रेषित।

(ठेकेदार के हस्ताक्षर)

नाम		
पर्ण	पता	

मोबाईल नं.--

कार्थपालन अभियंता नगर पालिक निगम कोरबा (छ.ग.)

//02//

OFFICE OF THE MUNICIPAL CORPORATION, KORBA (C.G.) DETAILED ESTIMATE

Nar. - of Work :- Maitenance of C.C. Road at Various Places of Ram Nagar- Sahimudi (From Ishwa : Patel House to Minketan sahu house, Kanhaiya Sriwas house to Gopal Sahu House, Aaju Ram Hay - e to Santosh Patel House) at Ward no.45

As per Sor :- Schedule of Rates Public Works Department [PWD BUILDING 01-01-2015]

s p	er Sor :- Schedule of Rates Public Works Depa				H/D	Qty	Unit	Rate	Amount
0	ITEM DESCRIPTION	N	L	В	H/U	uly	Unit	Tuto	
1	6.3 Demolishing brick masonry including								
a	rches, stacking of serviceable naterial disposal of unserviceable material								
n	vithin 50 metres lead.								
		1	30.00	0.45	0.50	6.75			
	6.3.3 In cement mortar.	1	45.00	0.30	0.50	6.75			
Į	Aaju Ram Haouse to Santosh Patel House	1	15.00	0.45	0.50	3.38			
15	Sukh Sagar House to Rajaram House	-	15.00	Total		16.88	Cum	263.00	4438.13
2	1.2 Surface dressing of the ground including removing vegetation and making up undulations and in-equalities not exceeding 15 cms in depth/ height including disposal of rubbish upto 1.5 m lift and lead upto 50m (at least 5m away from the dressed area).								
	Ishwari Patel House to Minketan sahu house	1	35.00	2.60		91.00			
	Kanhaiya Sriwas house to Gopal Sahu House	1	65.00	2.00		130.00			
	Aaju Ram Haouse to Santosh Patel House	7	15.00	3.00		315.00			
	Santosh Rathore hose to Pant Ram House	1	50.00	3.00		150.00			
		1	30.00	2.50		75.00			
	Sukh Sagar House to Rajaram House				Total	761.00	Cum	7.20	5479.20
3	Excavation for all types and sizes of foundations, trenches and drains or for any other purpose including disposal of excavated stuff upto 1.5 m lift and lead upto 50m (at least 5m away from the excavated area), including dressing and leveling of	,							
┢	Kanhaiya Sriwas house to Gopal Sahu House	1	65.00	2.00		26.00			4010.00
\vdash					Total	26.00	Cum	185.00	4810.00
4	Providing and laying nominal mix cement concrete with crushed stone aggregate using concrete mixed in foundation, plinth and at ground level excluding cost of form work.	ri -							
	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size).					12.00		16	
F	Kanhaiya Sriwas house to Gopal Sahu House	1	65.00			13.00	-	2659.00	34567.00
F				TC	otal	13.00	Cum	2059.00	54307.00
	Providing and laying nominal mix Plain cemen concrete with crushed stone aggregate using concrete mixer in all works upto floor five leve excluding cost of reinforcement and form work.	g							

ITEM DESCRIPTION	N		B	HID	0.54	1.1.14	-	
				170	uly	Unit	Rate	Amount
shw ¹ Patel House to Minketan sahu house	1	35.00	2.60	0.12	10.92			
Kanhaiy 📑 iwas house to Gopal Sahu House	1	65.00	2.00	0.12	15.60			
 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone regate 20mm nominal size). Ishv. ' Patel House to Minketan sahu house Kanhaiy, 'iwas house to Gopal Sahu House Aaju Ram Haouse to Santosh Patel House Santosh Rathore hose to Pant Ram House Sukh Sagar House to Rajaram House Providing and fixing formwork including centering, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: a Foundations, footings, base of columns and plinth beam in any shape and size. Ishwari Patel House to Minketan sahu house Kanhaiya Sriwas house to Gopal Sahu House Aaju Ram Haouse to Santosh Patel House Santosh Rathore hose to Pant Ram House 	3	15.00	3.00	0.12	16.20			
10- 1	1	15.00	3.00	0.15	6.75			
	6	3.60	2.00	0.15	6.48			
	1	50.00	3.00	0.12	18.00			
Such Sagar House to Rajaram House	1	30.00	2.50	0.10				
s			То	tal	81.45	Cum	4073.00	331745.85
shuttering, strutting, staging, propping bracing etc.								
				÷.				
Ishwari Patel House to Minketan sahu house	2	35.00		0.12	8.40			
Kanhaiya Sriwas house to Gopal Sahu House	2	65.00		0.12	15.60			
Aaju Ram Haouse to Santosh Patel House	6	15.00		0.12	10.80			
	2	15.00		0.15	4.50			
	12	3.60		0.15	6.48			
Santosh Rathore hose to Pant Ram House	2	50.00		0.12	12.00			
Sukh Sagar House to Rajaram House	2	30.00			6.00			
1.26 Continue has marked in a transmit with 5 lar			<u>то</u>	tal	63.78	Sqm	139.00	8865.42
lead:	1 							
1.26.1 Earth		26.00				_		2886.00
mulba		18.00			18.00			1647.00
		A	s per S	OR To	tal Estim	ate An	nount Rs	394438 6
	 Santosh Rathore hose to Gopal Sahu House Providing and fixing formwork including centering, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, base of columns and plinth beam in any shape and size. Ishwari Patel House to Minketan sahu house Kanhaiya Sriwas house to Gopal Sahu House Aaju Ram Haouse to Santosh Patel House Providing and fixing formwork including centering, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, base of columns and plinth beam in any shape and size. Ishwari Patel House to Minketan sahu house Kanhaiya Sriwas house to Gopal Sahu House Santosh Rathore hose to Pant Ram House Sukh Sagar House to Rajaram House Sukh Sagar House to Rajaram House 1.26 Carriage by mechanical transport upto 5 kn lead: 1.26.1 Earth 	Image: 11/2:3 (1 cement : 11/2 coarse sand : 3 graded stone regate 20mm nominal size). Image: 1 shw. ' Patel House to Minketan sahu house 1 Kanhaiy 'iwas house to Gopal Sahu House 1 Aaju Ram Haouse to Santosh Patel House 3 1 6 Santosh Rathore hose to Pant Ram House 1 Sukh Sagar House to Rajaram House 1 Providing and fixing formwork including centering, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, base of columns and plinth beam in any shape and size. 2 Ishwari Patel House to Minketan sahu house 2 Aaju Ram Haouse to Santosh Patel House 6 2 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 1	NL'1½:3 (1 cement : 1½ coarse sand : 3 graded stone 'regate 20mm nominal size).1shw'Patel House to Minketan sahu house1shw'Patel House to Minketan sahu house1Aaju Ram Haouse to Santosh Patel House3115.00Aaju Ram Haouse to Santosh Patel House363.60Santosh Rathore hose to Pant Ram House150.00Sukh Sagar House to Rajaram House19Providing and fixing formwork including centering, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for:Foundations, footings, base of columns and plinth beam in any shape and size.2Ishwari Patel House to Minketan sahu house2215.00Aaju Ram Haouse to Santosh Patel House615.0012Santosh Rathore hose to Pant Ram House2215.00123.60Santosh Rathore hose to Pant Ram House2215.00123.60Santosh Rathore hose to Pant Ram House2230.00123.60Sukh Sagar House to Rajaram House230.0012123.60Sukh Sagar House to Rajaram House230.0012123.60Santosh Rathore hose to Pant Ram House230.0012123.60Sukh Sagar House to Rajaram House230.0012 <td< td=""><td>NLB'1½:3 (1 cement : 1½ coarse sand : 3 graded stone regate 20mm nominal size).135.002.60shw. 'Patel House to Minketan sahu house165.002.00Aaju Ram Haouse to Santosh Patel House315.003.00Aaju Ram Haouse to Santosh Patel House315.003.0063.602.00Santosh Rathore hose to Pant Ram House130.002.50Sukh Sagar House to Rajaram House130.002.50Verviding and fixing formwork including centering, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for:ToFoundations, footings, base of columns and plinth beam in any shape and size.235.00Aaju Ram Haouse to Santosh Patel House615.00115.003.001215.001235.001Kanhaiya Sriwas house to Gopal Sahu House235.00Aaju Ram Haouse to Santosh Patel House615.001123.60Santosh Rathore hose to Pant Ram House230.00123.6012Sukh Sagar House to Rajaram House230.00123.6015.00131.26 Carriage by mechanical transport upto 5 km lead:11.26.1 Earth26.0018.00</br></br></td><td>NLBH/Dregate 20mm nominal size).1$35.00$$2.60$$0.12$shwPatel House to Minketan sahu house1$65.00$$2.00$$0.12$Kanhaiy''was house to Gopal Sahu House1$65.00$$2.00$$0.12$Aaju Ram Haouse to Santosh Patel House3$15.00$$3.00$$0.12$<math>Aaju Ram Haouse to Santosh Patel House3$15.00$$3.00$$0.12$<math>Aaju Ram Haouse to Santosh Patel House1$50.00$$3.00$$0.15$Santosh Rathore hose to Pant Ram House1$30.00$$2.50$$0.10$Sukh Sagar House to Rajaram House1$30.00$$2.50$$0.10$Providing and fixing formwork including centering, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for:<math>7</math><math>7</math>Foundations, footings, base of columns and plinth beam in any shape and size.<math>2</math>$35.00$$0.12$Aaju Ram Haouse to Santosh Patel House<math>6</math>$15.00$$0.12$Aaju Ram Haouse to Santosh Patel House<math>6</math>$15.00$$0.12$Santosh Rathore hose to Pant Ram House<math>2</math>$35.00$$0.12$Santosh Rathore hose to Pant Ram House<math>2</math>$15.00$$0.12$Aaju Ram Haouse to Santosh Patel House<math>6</math>$15.00$$0.12$Ladi Ram Haouse to Santosh Patel House<math>2</math>$15.00$$0.12$Jatosh Rathore hose to Pant Ram House<math>2</math>$50.00$$0.10$Santosh Rathore h</math></math></td><td>IV: 3 IV L B H/D Cty regate 20mm nominal size). 3 graded stone -</td><td>Image: Note of the image is a strength of the image</td><td>IV::3:3 (1 cement : 1½ coarse sand : 3 graded stone IV B H/D Qty Unit Rate "regate 20mm nominal size). 35.00 2.60 0.12 10.92 </td></td<>	NLB'1½:3 (1 cement : 1½ coarse sand : 3 graded stone regate 20mm nominal size).135.002.60shw. 'Patel House to Minketan sahu house165.002.00Aaju Ram Haouse to Santosh Patel House315.003.00Aaju Ram Haouse to Santosh Patel House315.003.0063.602.00Santosh Rathore hose to Pant Ram House130.002.50Sukh Sagar House to Rajaram House130.002.50Verviding and fixing formwork including centering, shuttering, strutting, staging, propping bracing etc. 	NLBH/Dregate 20mm nominal size).1 35.00 2.60 0.12 shw Patel House to Minketan sahu house 1 65.00 2.00 0.12 Kanhaiy''was house to Gopal Sahu House1 65.00 2.00 0.12 Aaju Ram Haouse to Santosh Patel House3 15.00 3.00 0.12 $Aaju Ram Haouse to Santosh Patel House315.003.000.12Aaju Ram Haouse to Santosh Patel House150.003.000.15Santosh Rathore hose to Pant Ram House130.002.500.10Sukh Sagar House to Rajaram House130.002.500.10Providing and fixing formwork including centering, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for:77Foundations, footings, base of columns and plinth beam in any shape and size.235.000.12Aaju Ram Haouse to Santosh Patel House615.000.12Aaju Ram Haouse to Santosh Patel House615.000.12Santosh Rathore hose to Pant Ram House235.000.12Santosh Rathore hose to Pant Ram House215.000.12Aaju Ram Haouse to Santosh Patel House615.000.12Ladi Ram Haouse to Santosh Patel House215.000.12Jatosh Rathore hose to Pant Ram House250.000.10Santosh Rathore h$	IV: 3 IV L B H/D Cty regate 20mm nominal size). 3 graded stone -	Image: Note of the image is a strength of the image	IV::3:3 (1 cement : 1½ coarse sand : 3 graded stone IV B H/D Qty Unit Rate "regate 20mm nominal size). 35.00 2.60 0.12 10.92

Sub Engineer

Municipal Corporation Korba (C.G.)

Asst. Engineer Municipal Corporation Korba (C.G.)