

OFFICE OF MUNICIPAL CORPORATION KORBA

NIT No: 537 /

Notice Inviting Tender

Korba Dated 30.07.2026

Commissioner, Municipal Corporation Korba invites online Tenders on behalf of Municipal Corporation Korba on Form "A" (Percentage rate) & Form "B" (Item rate) From Eligible Class registered contractors who have completed work of Road in "unified Registration system e-Registration" PWD Chhattisgarh on Govt. of C.G. e-Procurement System (<http://eproc.cgstate.gov.in>)

1	System Tender No.	196483 (1st Call)
2	Name of Work/Description of Work	CONSTRUCTION OF BOX CRICKET AT ZONE-2 IN STADIUM MUNICIPAL CORPORATION ,KORBA (C.G.)
3	Probable Amount of contract	Rs. 158.58 Lakh
4	Earnest Money Deposit	Rs. 1.19/- Lakh (In shape of FDR/TDR favor of Commissioner, Municipal Corporation, Korba)
5	Cost of Tender form fees	Rs. 3,000/- (In shape of Demand Draft favor of Commissioner, Municipal Corporation, Korba)
6	Eligible class of contractor / firm	Class- "C" & ABOVE
7	Time allowed for Completion	06 Months (Including rainy season)
8	SOR Applicable	CGPWD ROAD SOR DT 10.06.2026 CGPWD BUILDING SOR DT 10.06.2026 CGPWD ELCTRICAL SOR DT 10.06.2026 CGPHE USOR DT 01.06.2020 & AMMENDMENT 2022-23 <i>and Non SOR Items</i>
9	Financial Capacity (as per clause 3.8.1)	Rs.23.79 Lakh valid bank solvency certified by C.A. or Bank manager not older than 06 month

- 1- In order to participate in the tenders floated using the e-Procurement System, all contractors/bidders are required to get enrolled on the e-Procurement portal <http://eproc.cgstate.gov.in>.
- 2- The bids submitted online should be signed electronically with a Digital Certificate to establish the identity of the bidder bidding online. The registered contractors may obtain information required to issuance of Digital Certificate from e-Procurement system M Junction Raipur.
- 3- For submitting the bids online, the contractors/bidders are required to make online payment using the electronic payments gateway service Bid Hash Submission Fee as mentioned above the different modes of electronic payments accepted on the e-Procurement System is available and can be viewed online on the e-Procurement Website (<http://eproc.cgstate.gov.in>).
- 4- Tender Download, Submit Bid Hash online, Submission of Bids and other Documents and other activities will be governed by the time schedules given under – key Dates. Also, Bidder has to submit all the mandatory/required documents, if the mandatory/required documents not submitted by bidder then bid will be disqualified without any further clarification & Joint Venture /Consortium is not allowed.
- 5- The Bidders has to submit (Upload Scan Copies/fill) his offer/credentials online as required in the tender in the online templates in relevant envelopes.
- 6- The Bidders may refer Help Manual available online to perform their online activities.



- 7- The COMMISSIONER, MUNICIPAL CORPORATION KORBA reserves the right to reject any part of/whole tender without assigning any reason and to restrict the list of pre-qualified tenderer to any number deemed fit by it.
- 8- Before the deadline for submission of tender the COMMISSIONER MUNICIPAL CORPORATION KORBA may modify the tender document by issuing amendment. (Any amendment thus issued shall be part of the tender and shall be published on web site)
- 9- Tenderers are required to submit all documents/information with the technical tender as required in the NIT or elsewhere in the Tender Document, otherwise it shall lead to rejection of bids.

The bidders are required to submit 'Envelope "A & B" physically and online as per dates Indicated in Key Dates. The Physical Envelope should contain the following: -

- a) **Envelop 'A' (Key Submission - Submit physically & online)-** All the required document submission are mandatory for opening of Technical Bid.
 - i. **The Earnest Money Deposit (EMD) in the form of FDR/TDR of a Nationalised /Scheduled bank of India** in favour of the "Commissioner, Municipal Corporation, Korba" payable at 'Korba' which will be returned to the unsuccessful Bidders after the award of contract. The Earnest Money of the successful Bidders will be retained as part of the Security Deposit.
 - ii. **Tender Document Fee** (Demand Draft in favour of Commissioner, Municipal Corporation, Korba (C.G.)
 - iii. **Affidavit in Original. (Non Judicial stamp in 100 Rs.)** (as per Enclosed in Tender Documents)
- b) **Envelop- 'B'(Technical Bid - Submit physically & online) -** Also the Envelop B shall be submitted physically & online ALSO. In all cases the submission which is online shall prevail.
 - i. Attested copy of Valid Registration Certificates. CG PWD and (Partnership Deed, registration amendment certificate as the case may be)
 - ii. Attested copy of PAN card issued by I.T. Department.
 - iii. Attested copy of Valid GST/ CGST Registration must be valid up to Bid due date as per key dates otherwise tender will be disqualified while opening.
 - iv. Valid Bank Solvency certificate in Bank Letter Head. (Not older than 06 Months) Mention the Bank Dispatch No. or Ref. No. or Verifiable unique number or Date otherwise tender will be disqualified while opening) The bank solvency shall be submitted by the contractor 15% on the cost put to tender.
 - v. Partnership deed /MOA of company.
 - vi. All the term and conditions outlined in CGPWD, Raipur Order No.-F21-5/t/19/2012/nivida (part) dated 29.09.2025 is considered as a part of bid.
 - vii. The Bidder Shall be Submitted ESIC & EPF. Including Last 3 Months Of Reciept Challan copy must be submitted.
 - viii. Attach Experience certificate of simillar work of construction and delvelopment of box cricket in any of last 5 year.
- c) **Envelop- "C" - (Financial Bid - Submit only Online)**
If the bidder quotes his rates in physical submissions than it will lead to disqualification during evaluation of the bid.
- d) **Physical Submission** - The sealed envelope (A & B) covered in another Envelop should be sent by registered A.D. or speed post in this office (Commissioner, Municipal Corporation, Korba (C.G.) Address of Saket Bhawan ITI Rampur Chowk Korba (C.G.) up to dated **27/08/2026, 15.00. HRS** (Please mention the Name of Work, N.I.T. No. in Physical Envelop)

- 10- Required documents of qualified tenderer shall be opened online on the prescribed date and time as per Notice Inviting Tender. After verification of proper and other required documents financial offers of such qualified bidders shall be opened online by the COMMISSIONER, MUNICIPAL CORPORATION KORBA (C.G.) in the presence of the tenderer (s)/ representative who choose to attend at that time.
- 11- Additional performance shall be deposited by the successful bidder at the time of signing of agreement when the bid amount is seriously unbalanced. i.e. less than the estimated cost by more than 10% in such an event the successful bidder will deposit the additional performance security to the extent of differential cost of bid amount and 90% of the estimated cost in shape of Bank guarantee of Nationalized Bank in favor of COMMISSIONER MUNICIPAL CORPORATION KORBA (C.G.) in Additional to EMD failing which the tender in this favor shall be liable for Rejection.
- 12- It is mandatory for bidder to submit all mandatory/required documents in online in website <http://eproc.cgstate.gov.in>. Any documents which are not submitted in online but submitted physically will not be accepted.
- 13- Bidder has to submit all the mandatory/required documents, if the mandatory/required documents not submitted by bidder then bid will be disqualified without any further clarification.
- 14- The Technical Document of the contractors have to be Notarized Seal and Signed (originally) before submitting the bids online.
- 15- If any document as required is not received as per the desired form, then the Bidder will be disqualified without any further clarification and his financial bid will not be opened.
- 16- Other Details can be seen in the tender documents.
- 17- The bidder must submit a duly notarized affidavit (as per Annexure 13) providing details of any ongoing litigation or arbitration proceedings. This includes any dispute the bidder is currently involved in, either as a claimant or respondent. The affidavit should clearly state the nature of the litigation, the parties involved, and the current status of each case. Failure to disclose accurate and complete information will lead to disqualification the bid.
- 18- The contractor shall not be discontinues the execution of work only due to delay in payment of running bill etc.
- 19- The provision of Clause 11 regardings price escalation shall not be applicable under this contract. No escalation or increase in the contract price will be paid for any reason, including fluctuations in material costs, labor wages, or any other inputs, during the entire duration of the project.
- 20- In case of any discrepancy, ambiguity or dispute related to the interpretation of the term and condition of the tender documents, the decision of the Commissioner, Municipal Corporation Korba, shall be final and binding on all parties involved.
- 21- After the issuance of the work order, the successful bidder must mandatorily comply with the all applicable rules and regulations of relevant government departments, including but not limited to those related to mining labor laws, income tax, Good and Service tax (GST), other statutory obligations. The bidder will be solely responsible for adhering to these regulations throughtout duration of the project.
- 22- After the award of the work order, the successful bidder must obtain approval for all the project- related drawings and designs from the National Institute of Technology (NIT)/IIT before commencing any



- work. All the charges borne by the contractor. No work shall begin until the designs and drawings have been thoroughly reviewed and formally approved.
- 23- As per Clause 7.17 Work Program and Methodology upon issuance of the work order, the successful bidder must submit a detailed work program and construction methodology, ensuring the project is executed within the specified timeframe. This submission must include a timeline of key activities, resource allocation and a cash flow projection for the duration of the project. The program must be approved by the competent authority before work commences.
- 24- During the execution of project any dispute between the construction agency (successful bidder) and the Municipal Corporation Korba shall be resolved in accordance with the provisions outlined in the tender documents. The decision of the Commissioner Municipal Corporation Korba, shall be final and binding on the both parties.
- 25- The total bid amount will be calculated by adding the evaluated rates for SOR items and non-SOR items together. The bidder with the lowest total bid amount will be declared the successful bidder.
- 26- The bidder must prepare the index of all the bid documents submitted along with the bid with page number of each document arranged accordingly.

SPECIAL CONDITION-

- 27- In the event of with drawing his/her offer before the expiry of the period of validity of offer or failing to execute the agreement as required by conditions of the notice inviting tender (N.I.T.) he/she will not be entitled to tender for this work in case of recall of tenders. In addition to forfeiture of his/her earnest money as per provisions of tender condition as may be applicable for the work, the Commissioner, Korba Municipal Corporation will restrict the contractor/firm for a period of one year in participation of all KMC tenders. If the tenderer has committed a similar default after restriction period on earlier occasion(s) as well, then Commissioner, Korba Municipal Corporation recommended for demotion in registration to the committee of 'Unified Registration System' (e-Registration) with chhattisgarh P.W.D. State Governments will be permanently. This special condition will supersede any thing contrary to it in the tender document.
- 28- "Additional performance shall be deposited by the successful bidder at the time of signing of agreement when the bid amount is seriously unbalanced. i.e. less than the estimated cost by more than 10% in such an event the successful bidder will deposit the additional performance security to the extent of differential cost of bid amount and 90% of the estimated cost in shape of Bank Guaranty issued by scheduled Bank for agreement period in favour of Commissioner Municipal Corporation in Additional To Performance security failing which the tender in this favour shall be liable for Rejection." The same shall be released along with the normal Security Deposit.
- 29- Contractors are advised to go through the Notice Inviting tenders & the tender/P.Q./Bid Capacity document thoroughly Certificates, annexure, enclosures as mentioned in the document will have to be submitted by the tenders strictly in the prescribed format, at the time of submission of Technical bid, failing which the contractor shall disqualify for the work & his financial offer shall not be opened and no representation, appeal or objection, what so ever in this regard shall be entertained by the department.

- 30- i. **Performance Security:** Performance Security of 5% shall be deducted from the each running bill.
- 31- ii. **Refund of Performance Security:** - The contractor shall also be responsible for performance of work carried out by him for a period of 36 (Thirty-Six) Month beyond the completion of work for which performance security has to be furnished by him @ 5% (five percent) of amount of contract. For this purpose, contractor has to submit to the department a Bank Guarantee of 5% amount of the value of work done on every running and final bill payable to him. If contractor fails to submit bank guarantee of 5% amount of the gross bill, then 5% amount of bill shall be deducted from his running and final bill payment. However, the contractor can get refund of such performance cash security amount deducted if he submits appropriate bank guarantee valid for the period as stated above or 36 (Thirty-Six) Month after actual completion.
- 32- All the term and conditions outlined in CGPWD, Raipur Order No.- No. 65011/777-A/SOR/2026 Nava Raipur Dated: 10.06.2026 is considered as a part of bid.” If more than one bidder has quoted same lowest rate (L-1) then the bidder with the highest bid capacity shall be considered for acceptance.”
- 33- As per Circular No. GENCOR-35/306/2026-UAD dated 21.05.2026 issued by the Urban Administration & Development Department, Government of Chhattisgarh, the BOQ/PAC has been prepared excluding GST. Accordingly, bidders shall quote their rates excluding GST only. Applicable GST shall be paid separately by the Municipal Corporation, Korba, subject to submission of a valid GST Tax Invoice and compliance with the provisions of the GST Act, Rules and Government instructions in force. Statutory deductions, including GST-TDS, Income Tax, Royalty towards minor minerals, and all other applicable taxes, levies and deductions as per the prevailing laws and Government instructions, shall be made from the contractor’s bills, wherever applicable


30/7/26
Superintending Engineer
MUNICIPAL CORPORATION
KORBA (C.G.)

SYSTEM TENDER No. 196483 (1st Call)

NIT No. 537/2026

Korba Dated 30.07.2026

Key Dates

Task	Date	Time
Bid Start Date	30.07.2026	17:31
Bid Due Date	24.08.2026	17:30
Physical Doc Submission End Date	27.08.2026	15:00
Bid Open Date (Scheduled)	27.08.2026	17:00


Superintending Engineer
Municipal Corporation,
Korba (C.G.)

MUNICIPAL COORPORATION KORBA,DISTRICT-KORBA(C.G.)					
ESTIMATE FOR CONSTRUCTION OF BASE WORK , FRAME STRUCTURE AND ELECTRICAL WORK FOR BOX CRICKET AT ZONE 5					
ESTIMATE BASED ON : PWD BUILDING SOR IN FORCE FORM 20.04.2026.					
S.No.	ITEM	UNIT	RATE (Rs.)	QUANTITY	AMOUNT
	PWD BUILDING SOR IN FORCE FORM 20.04.2026.				
1.1.1	Excavation for all types and sizes of foundations trenches and drains or for any other purpose including disposal of excavated stuff upto 1.5 m lift and lead upto 50m (at least 5m away from the excavated area), including dressing and leveling of pits. <i>To all types of soil.</i>	cum		864.27	
1.18	Providing and filling in plinth with sand/ Crusher dust and hard moorum under floor in layers not exceeding 20cm in depth consolidating each deposited layer by ramming and watering including dressing etc complete	cum		176.96	
1.26.1	Carriage by mechanical transport for 5 km lead: (i) Earth	cum.		864.27	
1.27.1	Extra for mechanical transport for every one km or part thereof beyond first 5 km lead. (i) Earth	cum.		864.27	
3.1.3	Providing and laying nominal mix cement concrete with crushed stone aggregate using concrete mixer in foundation, plinth and at ground level excluding cost of form work. (iii) .1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40mm nominal size).	cum		165.80	
3.2.1	Providing and laying nominal mix reinforced cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20mm nominal size).	Cum.		282.912	
2.1.1	Providing and fixing form work including centring, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: (i) Foundations, footings, bases of columns plinth beam, curtain wall in any shape and size and all type of wall below plinth level.	sqm		555.24	

S.No.	ITEM	UNIT	RATE (Rs.)	QUANTITY	AMOUNT
3.12.1	Providing and placing in position reinforcement for R.C.C. work including straightening, cutting, bending, binding etc. complete as per drawings including cost of binding wire in foundation and plinth all complete: Thermo-Mechanically treated bars EF 415	Kg.		22632.96	
9.3.2	Steel work in tubular (round, square or rectangular hollow tubes etc.) structure in built-up sections, trusses and frame work including cutting, hoisting, fixing in position upto a height of 5m above plinth level, consisting of columns trusses, roof and bottom purlins, base plate, holding down bolts, wind ties bracing (if required), bolts, nuts and washers for fastening etc. complete with applying a priming coat of red oxide zinc chromate primer.	KG		52650.00	
9.4	Extra for curvature in making steel work in tubular structure in built-up sections, trusses and frame work	KG		52650.00	
9.5	Extra for hoisting trusses and placing in position over height above 5m for every 2.5 m height or part thereof.	KG		52650.00	
9.42.3	Providing and fixing in position welded steel wire fabric to concrete/ wooden/ angle iron posts including securing and screwing with G.I. tying wire, G.I. staples, G.I.U-nails or steel pins etc., complete	SQM		3510.00	
11	Electrical work as per Electrical SOR 2026				
6.29	Supplying of following 230/250 volts LED Flood light fitting with all accessories like driver, heat sink made of die cast aluminium with IP 66 protection and 15 KV surge protection on pole bracket, including connection, earthing, Seperate housing for driver etc complete as per specification and P.A. should be greater than 0.9. LED chip efficacy ratio $\geq$ 120 lumens /watt.				
6.29.11	300 watt	Each		17225.00	
6.29.12	350 watt	Each		19619.00	
6.29.13	400 watt	Each		25871.00	
15.3	Supplying and laying following sizes one number FRLS PVC insulated /XLPE, PVC sheathed, steel armoured, aluminium conductor power cable of 1.1 KV grade in existing RCC/ HUME/ STONEWARE/ METAL/ HDPE pipe as per specification, IS: 1554 (1988, Part 1) / IS: 7098 (1988, Part 1).				
15.3.7	3 x 10 sq. mm	Metre		89.00	
15.3.23	4 x 16 sq. mm.	Metre		103.00	

S.No.	ITEM	UNIT	RATE (Rs.)	QUANTITY	AMOUNT
15.23	Supplying and making end termination with brass compression gland and aluminum lugs for following size armoured aluminum conductor power cable of 1.1 KV grade as per specification. .				
15.23.8	3 X 10 sq. mm (19 mm)	Each		95.00	
15.23.24	4 X 16 sq. mm (22 mm)	Each		101.00	
15.23.26	4 X 35 sq. mm (28 mm)	Each		124.00	
19.12	Designing and providing suitable RCC foundation in Cement Concrete 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size) for 3 metre to 12 metre high GI octagonal pole including steel reinforcement form work, embedding 2 nos 50mm dia PVC pipe for cable entry in each foundation, excavation disposal of surplus soil and curing etc. as per specification.	cum		5219.00	
7.19	Fabrication, supply, installation, testing and commissioning of cubicle type compartmentalized wall/floor mounted power cum control panel board of specified size and following depth made out of not less than 2mm thick CRCA MS sheet with suitable size compartments for bus bars, switchgears and necessary cutouts for voltmeters, ammeters etc as per specifications including powder coating painting but with out busbars, switchgears and other accessories etc complete as per specification				
7.19.1	Upto 300 mm deep	sqm		6818.00	
7.21	Supply, installation, testing and commissioning of 4 pole (3 phase + neutral) copper (electric grade) bus bars in existing cubicle type compartmentalized wall/ floor mounted panel board along with suitable size and shape insulators, necessary bolts and nuts etc complete as per specification.				
7.21.1	100 amp (20x3mm)	Metre		1319.00	
10.15	Providing and fixing following rating current transformer in existing cubical panel including, connections, testing and commissioning etc. as per specification.				
10.15.2	100/5 amps	Each		349.00	
10.15.2	200/5 amps	Each		347.00	
10.17	Providing and fixing panel mounting 230 volt LED type indicating lamp in existing cubical panel including, connections, testing and commissioning etc. as per specification.	Each		94.00	
10.22	Providing and fixing following Time switch (timer) in existing panel including connection, testing and commissioning as per specification.				
10.22.3	Astronomical type with year programmed	Each		3461.00	
10.23	Providing and fixing panel mounting digital type VAF (Volt-amp-frequency combined) Multi Function meter of size 100x100 (NS) in existing cubical panel including connection, testing and commissioning etc. as per specification.	Each		1201.00	
9.1	Providing and fixing following rating and breaking capacity MCCB in existing cubicle panel board including drilling holes in cubicle panel, making connections, etc. as per specification, IS/ IEC: 60947-2 and Ics = 100 % Icu.				
9.1.24	4 pole MCCB, 100A, Adjustable Thermal - Magnetic Release, 35KA	Each		6378.00	

S.No.	ITEM	UNIT	RATE (Rs.)	QUANTITY	AMOUNT
9.12	Supplying and fixing DP MCB, 240 volts, 'C' curve, suitable for lighting and other loads in the existing MCB DB complete with connections, testing and commissioning etc. as per specification.				
9.12.2	6 amps to 32 amps	Each		411.00	
12.19	Providing maintenance free earthing with following size GI pipe including making bore pit of minimum 150mm dia, providing and laying approved make Earthing Electrode of Pipe-in-Pipe technology as per IS 3043(R 2016) -1987 made of corrosion free G.I. Pipes having outer pipe of 80mm dia and inner pipe of 50mm dia and filling with specified qty highly conductive compound around pipe and above that with soft soil in bore pit complete and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. as per specification:				
12.19.1	With 3 metre long GI Pipes and 50 kg back filling compound.	Each		10955.00	
12.14	Providing and fixing 25 mm X 5 mm G.I. strip in 40 mm dia G.I. pipe from earth electrode at 0.5 Metre depth below ground level including excavation and refilling the trench etc. as per specification.	Metre		345.00	
14.2	Supplying and laying HDPE pipe of 4kg/Sqcm in ground below road, path etc at a depth not less than 40 cm and upto 90 cm including excavation, dismantling of road if required and refilling the trench with excavated material, ramming and making the surface good etc. as per specification.				
14.2.1	63 mm outer dia	Metre		124.00	
20.6	Supplying and erection of angle/channel iron cross arms/ bracket/ other fitting of approved size and shape including drilling of holes for insulator pins, bolts and nuts etc as per specification.	kg		77.00	

Sub Engineer
Municipal Corporation
Korba (C.G.)

Astt. Engineer
Municipal Corporation
Korba (C.G.)

MUNICIPAL COORPORATION KORBA,DISTRICT-KORBA(C.G.)					
ESTIMATE FOR CONSTRUCTION OF BASE WORK , FRAME STRUCTURE AND ELECTRICAL WORK FOR BOX CRICKET AT ZONE 5					
	NON - SOR ITEM'S	UNIT	RATE (Rs.)	QUANTITY	AMOUNT
1	Special Net Fencing For Box Cricket - , Garware High Quality all weather UV protected 2.5mm/50mm Mesh Net, all sides Nets with roof at 15 ft , Fastners, Nylone Rope, GI rope 5mm, Special SS Clamps, Angles etc with one gate Green automotive paint on Pipes included. Pole Padding of 36 poles upto 5ft.	SQM		3264.00	
2	Ae Cricket Pitch 10mm - Supply of One 10mm Pitch of Size 6.6' X 33' . Dtex - 8800, Stich Rate 36/10 cm, Gauge 3/16". Backing - PP+Net+Latex. . Warranty 3 Years except Bat Tapping Area. Life exectency more than 12 years	SQM		60.00	
3	Supply of Ae 35mm Turf in rest area - Supply of 35mm High quality Grass, Gauge 3/8", Dtex - 7700, Stich Rate 33/10cm, Gauge 3/16", Yarn PE Curl Backing - PP+Net+Latex. 3 Year warranty .	SQM		3207.00	
4	INSTALLATION OF TURF LINING , FIXING STUMP AND GOL POST CLAMP , FIXING ALL MATERIAL TIGHT WITH ADHESIVE , GREEN NET , CHAIRS 3 IN NUMBER OF CONCRETE FOR AUDIENCE , PROVIDING WITH ONE SMALL TICKET COUNTER	LS		3.00	

Sub Engineer
Municipal Corporation
Korba (C.G.)

Astt. Engineer
Municipal Corporation
Korba (C.G.)