

कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.)

मुख्य कार्यातय - साकेत भवन, आई.टी.आई. चौक, कोरबा (छ.म.)

दर्री जोन

फा.क./533 एवं 534/निर्माण (दर्री जोन)/2023/

कोरबा, दिनांक 24.04.2023

निविदा आमंत्रण की सूचना

लोक निर्माण विभाग से एकीकृत पंजीयन प्रणाली अंतर्गत सक्षम श्रेणी में पंजीकृत ठेकेदारों से निम्नलिखित कार्य हेतु प्रमुख अभियन्ता लोक निर्माण विभाग, रायपुर द्वारा प्रचलित PWD Road SOR 01.01.2015 से प्रभावशील दर अनुसूची पर (निविदा खुलने के दिनांक तक समस्त संशोधनों के साथ) कम अधिक या समान दरों पर तथा शेड्युल अनुसार आयटम दरों पर निम्नलिखित निर्माण कार्य हेतु मैन्युअल निविदा वेबसाईट से डाउनलोड कर त्रि-लिफाफा पद्धित माध्यम से आमंत्रित की जाती है :-

1. निर्घारित प्रारूप में निविदा प्रपत्र प्राप्त होने अंतिम तिथि

- 16.05.2023 सायंकाल 3:00 बजे तक

2. निविदा खुलने की अंतिम तिथि

16.05.2023 सायंकाल 4:30 बजे तक

क्र.	कार्य का नाम	प्राक्कलन राशि में	धरोहर राशि रू में	निविदा प्रपत्र का मूल्य	निविदा प्रपत्र	कार्यावधि	ठेकेदार का वर्ग	निविदा खुलने की अंतिम तिथि
1	वार्ड क्र. 53 लेबर कॉलोनी प्रगति नगर में घनश्याम घर से मेघवा घर तक नाली का मरम्मत एवं रखाव कार्य। (मरम्मत एवं संघारण मद)	3,99,000/-	4,000 /-	750/-	Form-A	03 माह	सक्षम श्रेणी	16.05.2023
2	वार्ड क्र. 53 लेबर कॉलोनी प्रगतत नगर में विषाम्भर घर से अंजोर दास घर तक नाली का मरम्भत एवं रखाव कार्य। (मरम्भत एवं संघारण मद)	3,96,000/-	4,000 /-	750/-	Form-A	०३ माह	सक्षम श्रेणी	16.05.2023

निविदा की शर्ते:-

1. निविदा दरे प्रचलित सी.एस.आर.से कम या अधिक प्रतिशत् दरों पर दिया जावे सी.एस.आर.के अंतर्गत के आयटमों पर पृथक से आयटम दरों का उल्लेख करने पर निविदा निरस्त मानी जावेगी।

2. निविदा के दस्तावेज हाथो–हाथ न लिया जाकर रजिस्टर्ड पोस्ट अथवा स्पीड पोस्ट से प्राप्त किया जावेगा। अन्य माध्यमों यथा कोरियर सर्विस, साधारण डाक इत्यादि से प्राप्त अथवा समयाविध के पश्चात् प्राप्त निविदाओं पर विचार नहीं किया जावेगा। निविदा आयुक्त, नगर पालिक निगम, आई.टी.आई. चौक साकेत भवन, जिला–कोरबा (छ.ग.) पिन नं.–495677 के पते पर भेजना होगा। निर्धारित तिथि को सायं 3:00 के पश्चात् प्राप्त निविदाएँ स्वीकार नहीं किए जावेंगे।

3. निविदा प्रपन्न नगर पालिक निगम, कोरबा के वेबसाईट www.korbamunicipal.in/uad.cg.gov.in डाउनलोड किया जाकर नवीन निविदा प्रपन्न Form - A/B/ABC (जारी दिनॉक तक समस्त संशोधनों के साथ) निर्धारित शुल्क की डीडी के साथ संबंधित कार्य का नाम पूर्ण विवरण सहित भरकर भेजना होगा।

4. निविदा प्रपत्र त्रि-लिफाफा पद्धित से मान्य किया जावेगा जो निम्नानुसार होगा:-

(अ) प्रथम लिफाफा में ठेकेदार का जीवित पंजीयन प्रमाण पत्र, आयकर चुकता प्रमाण पत्र, निविदा सूचना आमंत्रण में उल्लेखित अन्य दस्तावेज के साथ निर्धारित प्रपत्र शुल्क का डीडी (निविदा आमंत्रण पत्र जारी दिनांक के पश्चात् का मान्य) एवं अमानत राशि का टी.डी.आर. / एफ.डी.आर. जो कि आयुक्त, नगर पालिक निगम कोरबा के नाम पर देय होगा प्रस्तुत करना होगा।

द्वितीय लिफाफा में ठेकेदार द्वारा भरा हुआ निविदा प्रपत्र होगा।

(स) तृतीय लिफाफा में उपरोक्त दोनो लिफाफाएँ होगी तथा आवश्यकता पड़ने पर मूल अभिलेख प्रस्तुत करना होगा। जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।

6. निविदा हेतु इच्छुक ठेकेदारों को उचित वर्ग में पंजीयन की प्रमाणित प्रतिलिपि यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि, उपलब्ध तकनीकी अमले की जानकरी पिछले वित्तीय वर्ष का आय चुकता प्रमाण पत्र, पेन नम्बर, जी.एस.टी. पंजीयन एवं प्रशिक्षित यंत्री नियुक्त करने संबंधी प्रमाण पत्र, कर्मचारी मविष्य निधि संगठन,कर्मचारी, राज्य बीमा निगम रायपुर से पंजीयन एवं विस्तृत निविदा आमंत्रण सूचना (एनआईटी) हस्ताक्षरयुक्त निर्धारित प्रारूप में निविदा आमंत्रण सूचना के कंडिका क्र. 04 के अनुरूप लिफाफा (अ) में प्रस्तुत करना अनिवाय होगा।

निर्धारित प्रारूप में निविदा आमंत्रण सूचना के कंडिका क्र. 04 के अनुरूप लिफाफा (अ) में प्रस्तुत करना अनिवार्य होगा।
7. कार्य हेतु लिफाफे पर कार्य का नाम निविदा आमंत्रण सूचना कमॉक, निविदा खुलने की तिथि स्पष्ट रूप से लिखकर भेजना होगा।

8. निविदाकार का यह दायित्व है कि वे निविदा भरने के पूर्व स्थल का स्वयं निरीक्षण कर लेवें ताकि प्रारंभ करने में किसी प्रकार की कठिनाई न हो। //02//

a. निर्धारित निविदा प्रपत्र में उल्लेखित कंडिकाएँ स्वमेव लागू मानी जावेगी एवं निविदा आमंत्रण सूचना निविदा का ही भाग माना जावेगा।

10. निर्धारित प्रारूप में निविदा प्रपत्र, निविदा प्रपत्र शुल्क, अमानत राशि, निविदा आमंत्रण सूचना पत्र में उल्लेखित दस्तावेज सही पाए जाने पर ही निविदा दर का लिफाफा खोला जावेगा अन्यथा निविदा निरस्त कर दी जावेगी।

11. ठेकेदार को अपनी दूरें शब्दों एवं अंको में लिखना अनिवार्य होगा।

12. शासन के विभिन्न विभागों जैसे:— खजिन विभाग, श्रम विभाग, समाज कल्याण विभाग इत्यादि विभागों द्वारा समय—समय पर ज़ारी निर्देशों/आदेशों के पालन की समस्त जिम्मेदारी संबंधित ठेकेदार की होगी।

13. ठेकेदार यदि कार्य को अपूर्ण स्थिति में छोड़ता है तो निविदा प्रपत्र में उल्लेख अनुसार इस संबंध में प्रावधान

के अंतर्गत कार्यवाही की जावेगी।

14. कार्य प्रारंभ नहीं करने अथवा अपूर्ण स्थिति में छोड़ने पर निगम द्वारा ठेकेदार के विरुद्ध तत् समय में एम.आई.

सी. द्वारा स्वीकृत प्रस्ताव के अधीन कार्यवाही की जावेगी जिसकी संपूर्ण जवाबदारी ठेकेदार की होगी।

15. सफल निविदा दाता से अनुबंध के समय अतिरिक्त परफार्मेंस राशि जेंमा कराई जावेगी जबकि निविदा की दरों में काफी कमी हो जैसे निविदादाता को निविदा दर एवं अनुमानित लागत से 10 प्रतिशत से अधिक निविदा दर होने पर सफल निविदादाता को निविदा दर एवं अनुमानित लागत के 90 प्रतिशत अंतर की राशि के समतुल्य परफार्मेंस गारंटी के रूप में राष्ट्रीयकृत बैंक का एफ.डी.आर. /टी.डी.आर. ऑफिस अथवा टाईम डिपॉजिट जो कि आयुक्त नगर पालिक निगम कोरबा के नाम से देय होगा, जो मांग तिथि से 15 दिवस के भीतर जमा करना अनिवार्य होगा। उपरोक्त राशि को जमा न करने की दशा में निविदा निरस्त कर दी जावेगी।

16. सम्पूर्ण किये गये कार्यों के लिये 5 प्रतिशत सुरक्षा राशि रिनंग देयकों के साथ 01 वर्ष हेतु साथ ही 5 प्रतिशत पृथक से 03

वर्ष की गारंटी के लिये परफारमेंस सिक्युरिटी के रूप में रोकी जावेगी।

17. निविदा में भाग लेने वाले ठेकेदारों को छ.ग. भवन और अन्य सिन्नािंग कर्मकार (नियोजन एवं सेवा शर्तों का विनियमन) अधिनियम 1996 एवं तद्अंतर्गत निर्धारित नियमों के तहत् पंजीयन कराना आवश्यक होगा तथा निर्माण लागत का 1 प्रतिशत उपकर के रूप में प्रत्येक देयक से कटौती की जावेगी।

18. निविदाकार को प्रत्येक निविदा में पंजीयन क्षमता के अंतर्गत वर्तमान में नगर निगम या अन्य विभागों में किये जा रहे कार्यों का विवरण राशि सहित मूल प्रति में वैध शपथपत्र कंडिका क. 04 के प्रथम लिफाफा (अ) में प्रस्तुत करना अनिवार्य होगा।

19. ईंट से संबंधित निर्माण कार्यों में फ्लाई एश ब्रिक का उपयोग किया जाना अनिवार्य होगा।

20. निविदा प्रपत्र अहस्तांतरणीय होगा एवं सशर्त निविदाओं पर विचार नही किया जावेगा।

21. निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में आयुक्त के द्वारा अधीनस्थ अधिकारियों का निर्णय अंतिम एवं सर्वमान्य होगा।

22. निविदा प्रपत्र Form-A के क्लॉज नम्बर-11 अनुसार एस्केलेशन देय नहीं होगा।

23. निविदा स्वीकृत करने अथवा अस्वीकृत करने का अधिकार आयुक्त, नगर पालिक निगम के पास सुरक्षित रहेगा।

24. निविदा खुलने की तिथि में अवकाश होने पर आगामी तिथि (कार्य दिवस) को निविदा संबंधी कार्यवाही मानी जावेगी। नोदः—

1. अमानत राशि के रूप में एफ.डी.आर. / टी.डी.आर. अथवा नगद जमा रसीद पृथक से लिफाफे में स्वीकार किए जावेंगे आयुक्त, नगर पालिक निगम, कोरबा के नाम पर देय हो।

उपरोक्त तिथियों में किसी भी तिथि को शासकीय/स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को

निर्धारित तिथि समय एवं स्थान माना जावे।

प्रतिलिपि :- प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास विभाग, नया रायपुर (छ.ग.) को Uad.cg.gov.in में अपलोड किये जाने हेतु प्रेषित।

(ठेकेदार के हस्ताक्षर)) कार्यपालन अभियंता नगर पालिक निगम कोरबा (छ.ग.)
नाम	कोरबा (छ.ग.)
पूर्ण पता	
मोबाईल नं.—	

OFFICE OF THE MUNICIPAL CORPORATION, KORBA (C.G.)

DETAILED ESTIMATE

OF WORK :- REPAIR AND MAINTENANCE OF DRAIN AT VISHAMBHAR HOUSE TO ANJOR DAS USE 'BOUR COLONY PRAGATI NAGAR WARD NO. 53

s per Sor :- Schedule of Rates Public Works Depart

Demolishing brick masonry including arches, In cement mortar Demolishing cement concrete including disposal of 1:3:6 or richer mix	N 2	L 450	В	H/D	Qty	Unit	Rate	Amount
Demolishing cement concrete including disposal of	2	450	1					
Demolishing cement concrete including disposal of			1 2 2					
1.3.6 or richer mix	1	150	0.2	0.3	18	cum	263	4734.00
	1	150						
Excavation for all types and sizes of foundations,	 ' -	150	0.7	0.25	26.25	cum	263	6903.75
In all types of soils.	2	100						
Filling from available excavated stuff (Excluding		180	0.8	0.6	172.8	cum	185	31968
Extra rate for quantity of work executed in or under						cum		2997
	-	180	0.8	0.3	86.4	cum	44	3801.6
Providing and fixing form work including contring		1						
shuttering strutting staging propping bearing,		ł						
complete and including the new year.								
Foundations footings because for the state of the state o								
oditidations, footings, bases of columns plinth								
		180.00		0.15	54.00			
	2X2	180.00		0.30	216.00			
Providing and laving nominal missississis					270.00	sqm	139.00	37530
concrete with crushed at a								
	1	180.00	0.80	0.10	14.40	Cum	2789.00	40161.60
1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone	1	95.00	0.20	0.15	2.85	Cum	4350.00	12397.50
1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone								
	1	180.00	0.60	0.15	16.20			
	2	180.00	0.10	0.30	10.80			
	200	0.50	0.50	0.10	5.00			
					32.00	Cum	4163.00	133216.00
	200	0.50	0.50	0.10	5.00	Cum		2345.00
roviding and placing in position reinforcement for								
L.C.C. work including straightening, cutting,								
ending, binding etc. complete as per drawings								
linth all complete:		,						
hermo-Mechanically treated bars FE 415					1770.00	kg	54.50	96465.00
					1770.00	- 75	54.50	90405.00
arriage by mechanical transport upto 5 km lead:					172.00	6	111.00	
arriage by mechanical transport upto 5 km lead:			I		1//×11	())))	777 001	10100 0
arth					172.80	Cum	111.00	
			2 202 5	OP T-	44.25	Cum	91.50	19180.80 4048.83
arth		As	s per S	SOR To		Cum	91.50	
	Providing and fixing form work including centring, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, bases of columns plinth Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work. 1:4:8 (1 cement : 4 coarse sand : 8 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone Providing and laying nominal mix reinforced cement 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 2:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 3:1½:3 (1 cement : 1½ coarse sand : 3 grad	Providing and fixing form work including centring, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, bases of columns plinth 2 Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work. 1:4:8 (1 cement : 4 coarse sand : 8 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1:1½:3 (1 cement : 1½ coarse sand : 3 g	Providing and fixing form work including centring, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, bases of columns plinth 2 180.00 2X2 180.00 Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work. 1:4:8 (1 cement : 4 coarse sand : 8 graded stone 1 95.00 Providing and laying nominal mix reinforced cement 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 2 180.00 3 1 180.00 4 1 180.00 5 1 180.00 6 1 180.00 7 1 180.00 7 1 180.00 8 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.00 9 1 180.0	Providing and fixing form work including centring, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, bases of columns plinth 2 180.00 2X2 180.00 Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work. 1:4:8 (1 cement : 4 coarse sand : 8 graded stone 1 95.00 0.20 Providing and laying nominal mix reinforced cement 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1 95.00 0.20 Providing and laying nominal mix reinforced cement 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1 180.00 0.60 2 180.00 0.10 20 0.50 0.50 Extra for precast PCC/ RCC work of any mix including 200 0.50 0.50 Providing and placing in position reinforcement for 8.C.C. work including straightening, cutting, pending, binding etc. complete as per drawings including cost of binding wire in foundation and	Providing and fixing form work including centring, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, bases of columns plinth 2 180.00 0.15 Extra for precast PCC/ RCC work of any mix including 200 0.50 Providing and placing in position reinforcement for R.C.C. work including straightening, cutting, bending, binding etc. complete as per drawings including cost of binding wire in foundation and	Providing and fixing form work including centring, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, bases of columns plinth 2 180.00 0.15 54.00 2X2 180.00 0.30 216.00 Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work. 1:4:8 (1 cement : 1½ coarse sand : 8 graded stone 1 95.00 0.20 0.15 2.85 Providing and laying nominal mix reinforced cement 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone 1 180.00 0.60 0.15 16.20 2 180.00 0.10 0.30 10.80 200 0.50 0.50 0.10 5.00 Extra for precast PCC/ RCC work of any mix including 200 0.50 0.50 0.10 5.00 Providing and placing in position reinforcement for 8.C.C. work including straightening, cutting, pending, binding etc. complete as per drawings including cost of binding wire in foundation and	Providing and fixing form work including centring, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, bases of columns plinth 2 180.00 0.15 54.00 2X2 180.00 0.30 216.00 Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work. 1:4:8 (1 cement : 4 coarse sand : 8 graded stone 1 95.00 0.20 0.15 2.85 Cum Providing and laying nominal mix reinforced cement 1:11½:3 (1 cement : 1½ coarse sand : 3 graded stone 1 180.00 0.60 0.15 16.20 2 180.00 0.50 0.50 0.10 5.00 2 180.00 0.50 0.50 0.50 0.10 5.00 Cum Extra for precast PCC/ RCC work of any mix including 200 0.50 0.50 0.50 0.10 5.00 Cum Providing and placing in position reinforcement for R.C.C. work including straightening, cutting, pending, binding etc. complete as per drawings including cost of binding wire in foundation and	Extra rate for quantity of work executed in or under 2 180 0.8 0.3 86.4 cum 44 Providing and fixing form work including centring, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, bases of columns plinth 2 180.00 0.15 54.00 2X2 180.00 0.30 216.00 Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work. 1:4:8 (1 cement : 14 coarse sand : 8 graded stone 1 95.00 0.20 0.15 2.85 Cum 4350.00 Providing and laying nominal mix reinforced cement 1:14:3 (1 cement : 1½ coarse sand : 3 graded stone 1 95.00 0.20 0.15 2.85 Cum 4350.00 Providing and laying nominal mix reinforced cement 1:15:3 (1 cement : 1½ coarse sand : 3 graded stone 1 180.00 0.60 0.15 16.20 2 180.00 0.10 0.30 10.80 200 0.50 0.50 0.50 0.10 5.00 Cum 4163.00 Cextra for precast PCC/ RCC work of any mix including 200 0.50 0.50 0.10 5.00 Cum 469.00 Providing and placing in position reinforcement for R.C.C. work including straightening, cutting, and placing in position reinforcement for R.C.C. work including straightening, cutting, and placing in foundation and

Sub Engineer **Municipal Corporation** Korba (C.G.)

Asst. Engineer **Municipal Corporation** Korba (C.G.)